

How to use LEMON BOTTLE Fat-dissolve

Recommendation needle

For face

Recommend 30-31g

For body

Recommend to use 25g-27g Needle or Cannula

Type of Syringe / Needle

Syringe = 3-10ml

Needle = More than 13mm

the exact size may vary depending on the customer's condition. Practitioners should assess the customer directly and make the judgment

So, it is very difficult to inject with insulin needle. In addition, insulin needles with short needle are very short and do not penetrate the subcutaneous fat layer

After care


1. Drink plenty of water
2. Recommended fasting after treatment
3. Massage after treatment

How to use LEMON BOTTLE Fat-dissolve



Double chin

Point : 5 - 8
Usage(ml) : 10 - 15



Abdomen

Point : 8 - 10
Usage(ml) : 30 - 40



Love Handle

Point : 4 - 6
Usage(ml) : 15 - 25
One side



Upper arms

Point : 3 - 4
Usage(ml) : 10 - 15



Outer thighs

Point : 5 - 7
Usage(ml) : 10 -20
One side



Inner thighs

Point : 5 - 7
Usage(ml) : 10 -20
One side

Do not exceed 100cc in the whole body in one treatment.

As you see the total amount of injection is divided by the point injected into one injection site.

For example, the total usage for the abdomen is 30-40ml so into 8 points, per 1 point will be about 4-5ml.

How to use LEMON BOTTLE Fat-dissolve

FAQ / LEMONBOTTLE

1. What is a certain period of time to repeat the treatment?

-You can repeat the treatment every 7-10 days, administering 100ml per clients each time

2. What medical conditions should be avoided when performing the treatment on a client?

-LEMONBOTTLE is made of natural ingredients and can be used by everyone except pregnant and breastfeeding women.

** You should consult with the attending physician for specific medical conditions*

3. How should opened vials be stored?

-Lemonbottle is made of natural ingredients, so once opened, the vial should be used immediately. Unopened vials can be stored at room temperature : 68 to 77°F (20 to 25°C).

4. Need a patch test?

-The patch test for Lemonbottle is not required

5. Is fasting mandatory?

-Fasting until the evening of the treatment and the next morning or light meal would be ok